

# KATALOG 2018

## OŚWIETLENIA LED



**5 LAT  
GWARANCJI**

## OPRAWA LED MAGNUS MILKY

					
40 W	4800 lm	3000° K	120-140°	105x1300x147mm	3,1kg
50 W	6000 lm	4000° K	120-140°	105x1300x147mm	3,1kg
60 W	7200 lm	6000° K	120-140°	105x1300x147mm	3,1kg





 PF | 0,95    CRI | >80    




## OPRAWA LED MAGNUS CLEAR

					
40 W	5700 lm	3000° K	60-90°	105x1300x147mm	3,1kg
50 W	7100 lm	4000° K	60-90°	105x1300x147mm	3,1kg
60 W	8500 lm	6000° K	60-90°	105x1300x147mm	3,1kg











 PF | 0,95    CRI | >80    



## OPRAWA PARKOWA LUKAS LED

					
40 W	4800 lm	4000° K	90-120°	∅ 650x495mm	6,5kg
60 W	7200 lm	5000° K 3000° K	90-120°	∅ 650x495mm	6,5kg

IP 66

 CREE  
LED Lighting

 TRIDONIC  
 MEAN WELL

 DALI

PF | 0,95    CRI | >80

 1-10V



## OPRAWA PARKOWA EDEN LED

					
40 W	3600 lm	4000° K	90-120°	∅ 650x450mm	7,6kg
60 W	4800 lm	5000° K 3000° K	90-120°	∅ 650x450mm	7,6kg

IP 65

 LITEON

 TRIDONIC  
 MEAN WELL







 DALI

PF | 0,95    CRI | >80

 1-10V



## OPRAWA VARNA LED

					
15 W	1200 lm	3200° K 4000° K	120-140°	∅ 272x95mm	1,3kg

IP 65

 ALU PANEL  
LITEON  
2835


 TRIDONIC  
MW  
MEAN WELL

 DALI

PF | 0,95

CRI | >80

 1-10V



## OPRAWA ASTON LED

					
40 W	5400 lm	3000° K	150x35°	102x505x280mm	4,8kg
50 W	6750 lm	4000° K	150x35°	102x505x280mm	4,8kg
60 W	8100 lm	6000° K	150x35°	102x505x280mm	4,8kg
70 W	9450 lm				

IP 66

 CREE  
LED Lighting

 TRIDONIC  
MW  
MEAN WELL

 DALI

PF | 0,95

CRI | >80

 1-10V



# LINIOWE OPRAWY LED

 P	KOD					
30 W	ABL-030	3750 lm		60°	1120x50x50mm	2,0kg
60 W	ABL-060	7500 lm	2700° K	2x45°	2240x50x50mm	4,0kg
15 W	ABL-L	1875 lm	6500° K	90°	300x50x50mm	0,5kg
22 W	ABL-T	2750 lm			600x300x50mm	1,0kg



PF | 0,95

CRI | >80

CRI | >90

